APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/623,234	07/18/2003	Jeffrey S. Kinne	EMC2-144PUS (EMC-03-045)	2729

45456   7590   01/24/2008

RICHARD M. SHARKANSKY
PO BOX 557
MASHPEE, MA 02649

EXAMINER
RABOVIANSKI, ANTON I

ART UNIT	PAPER NUMBER
2188	

MAIL DATE	DELIVERY MODE
01/24/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
Office Action Summary	10/623,234	KINNE, JEFFREY S.	
	Examiner	Art Unit	
	Anton Rabovianski	2188	

-- *The MAILING DATE of this communication appears on the cover sheet with the correspondence address* --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE _3_ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) ☒ Responsive to communication(s) filed on _31 October 2007_.

2a) ☒ This action is **FINAL**.   2b) ☐ This action is non-final.

3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) ☒ Claim(s) _1 and 2_ is/are pending in the application.

     4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) ☐ Claim(s) _____ is/are allowed.

6) ☒ Claim(s) _1 and 2_ is/are rejected.

7) ☐ Claim(s) _____ is/are objected to.

8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) ☐ The specification is objected to by the Examiner.

10) ☐ The drawing(s) filed on _____ is/ are: a) ☐ accepted or b) ☐ objected to by the Examiner.

     Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

     Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

     a) ☐ All   b) ☐ Some * c) ☐ None of:

       1. ☐ Certified copies of the priority documents have been received.

       2. ☐ Certified copies of the priority documents have been received in Application No. _____.

       3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

     * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☐ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
     Paper No(s)/Mail Date _____.

4) ☐ Interview Summary (PTO-413)
     Paper No(s)/Mail Date. _____.

5) ☐ Notice of Informal Patent Application

6) ☐ Other: _____.

DETAILED ACTION

Status of Claims

Claims 1-2 are pending in the Application.

Claims 1-2 are rejected.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that

form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1 and 2 are rejected under 35 U.S.C. 102(b) as being anticipated by Gaytan et

al. (US 5,638,367).

With respect to claim 1, the Gaytan et al. reference teaches a system for storing

a block of data, such block of data comprising different packets of data stored in

correspondingly different sections of a memory (fig. 1), and for gathering selected

portions of the stored packets and then transferring the selected portions of the

gathered packets into a transmitted block of data having the selected portions

appended contiguously one to the other (col. 1, lines 28-39), such memory storing the

packets in word-based locations, the word-based locations having a common word

width, W, the stored packets have a variable number of bytes, the bytes of the gathered

selected portions of the stored packets being offset from initial byte positions of the

stored packets (col. 6, lines 34-67 and col. 9, lines 31-67), the packets having variable

offsets (fig. 1, 6a and 7a), such system comprising:

a sampling register (fig. 1, fig. 3 and fig. 6a, i.e. there must be a register between

host memory 395 and word packing circuit 600 in fig. 3) having W byte locations for

storing W bytes read from a selected one of the word-based locations of the memory,

such read bytes being bytes of a currently gathered one of the packets (col. 6, lines 34-

44);

a shifter (fig. 6a, el. 610 and 615) for shifting the bytes stored in the sampling

register, such bytes being shifted as a function of the offset of the currently gathered

one of the packets and the number of bytes in a prior gathered one of the packets (col.

6, lines 53-65);

an accumulator register (fig. 6b, el. 660) having W byte locations for storing the

shifted bytes in response to a clock pulse (col. 9, lines 43-44);

a staging register (fig. 6b, el. 665) having W byte locations, for storing the bytes

stored in the accumulator register in response to a subsequent clock pulse (col. 9, lines

44-47); and

a multiplexer (fig. 6b, el. 675) having W sections, each of the W sections being

coupled to a corresponding one of the W byte locations of the accumulator register and

a corresponding one of the W byte locations of the staging register, each one of the

sections coupling to an output thereof the byte location of the accumulator register or

the byte location of the staging register selectively in accordance with the number of

bytes in the prior gathered ones of the packets and the number of bytes being gathered

from the currently gathered one of the packets (col. 9, lines 31-67 and col. 10, lines 25-30) to provide at an output of the multiplexer bytes to be transmitted as the transmitted block of data having the selected portions appended contiguously one to the other (fig 1 and fig. 7a-7i).

Regarding claim 2, Gaytan et al. teach a system for distributing different packets of data stored in continuous locations of a memory (fig. 1), such memory storing the packets in word-based locations, the word-based locations having a common word width, W, the stored packets have a variable number of bytes, the bytes of the distributed packets to be offset from initial byte positions (col. 6, lines 34-67 and col. 9, lines 31-67), the offsets being variable (fig. 1, 6a and 7a), such system comprising:

a sampling register (fig. 1 and fig. 6a, i.e. there must be a register between host memory 395 and word packing circuit 600 in fig. 3) having W byte locations for storing W bytes read from a selected one of the word-based locations of the memory, such read bytes being bytes of a currently distributed one of the packets (col. 6, lines 34-44);

a shifter (fig. 6a, el. 610 and 615) for shifting the bytes stored in the sampling register, such bytes being shifted as a function of the offset of the currently distributed one of the packets and the number of bytes in a prior distributed one of the packets (col. 6, lines 53-65);

an accumulator register (fig. 6b, el. 660) having W byte locations for storing the shifted bytes in response to a clock pulse (col. 9, lines 43-44);

a staging register (fig. 6b, el. 665) having W byte locations, for Storing the bytes

stored in the accumulator register in response to a subsequent clock pulse (col. 9, lines

44-47); and

a multiplexer (fig. 6b, el. 675) having W sections, each of the W sections being

coupled to a corresponding one of the W byte locations of the accumulator register and

a corresponding one of the W byte locations of the staging register, each one of the

sections coupling to an output thereof the byte location of the accumulator register or

the byte location of the staging register selectively in accordance with the number of

bytes in the prior distributed ones of the packets and the number of bytes being

distributed from the currently distributed one of the packets-to provide at an output of

the multiplexer (fig. 1; fig. 7a-7i; col. 9, lines 31-67 and col. 10, lines 25-30).

Response to Arguments

Applicant's arguments filed on 10/31/2007 in response to the Office Action

mailed 05/31/2007 have been fully considered but they are not persuasive. Therefore,

the rejections to claims 1-2 made in the previous Office action are maintained, and

restated above, with changes as needed to address the amendments.

With respect to Applicant's argument that elements 610 and 615 of Gaytan et al.

do not shift the bytes stored in the sampling register but rather selects different portions

of the word, Examiner respectfully disagrees. In particular, the reference discloses that

the input selectors 610 and 615 are configured to be disabled to prevent an invalid word

from being written into storage element 620 by setting Select1 and Select2 to

appropriate values (see col. 6, lines 57-63). In other words, when an invalid word is

detected from one of the two input busses of the word packing circuit, the valid word is

copied into the appropriate position in the read storage element. By selecting a correct

portion of a word and not allowing the propagation of an invalid portion of a word, the

input selectors shift the valid word into the appropriate location of the read storage

element. Thus, the input selectors operate as a shifter. Therefore, Gaytan et al. disclose

the limitation from the claims.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time

policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Anton Rabovianski whose telephone number is 571-

270-1026. The examiner can normally be reached on M-Th 11:00am-7:30pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hyung S. Sough can be reached on 571-272-6799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Anton Rabovianski

January 22, 2008

HYUNG S. SOUGH
SUPERVISORY PATENT EXAMINER
01/22/08